

# SAFETY DATA SHEET ACCORDING TO DIR 2001/58/EEC

PRODUCT FAMILY: Spiral Strengtheners

REVISION DATE: 22.07.2005

## 1 IDENTIFICATION OF THE PRODUCT AND COMPANY

1.1 IDENTIFICATION OF THE PRODUCT (new / (old) code, description)  
0180-0000 (GSS24) MEDIUM SPIRAL STRENGTHENERS

### 1.2 UTILISATION OF THE PRODUCT

- Manufacture of devices, including removable custom made dental devices

### 1.3 IDENTIFICATION OF THE COMPANY

MANUFACTURER: ATTENBOROUGH BRUSH LTD,  
VISCOSA HOUSE,  
GEORGE STREET,  
NOTTINGHAM. NG1 3BN.  
UK.

EMERGENCY TELEPHONE NUMBER: + 44 (0) 115 947 3562

## 2 COMPOSITION

Stainless steel to BS EN ISO 7153-1:2000

## 3 HAZARDS IDENTIFICATION

- PRODUCT NOT CLASSIFIED DANGEROUS.
- NO SPECIFIC HAZARDS ARE ENCOUNTERED UNDER NORMAL PRODUCT USE.

## 4 FIRST AID MEASURES

- 4.1 CONTACT WITH SKIN The specific indications will not cause irritation unless the patient has sensitivity to the composition
- 4.2 CONTACT WITH EYES The specific indications will not cause irritation unless the patient has sensitivity to the composition.
- 4.3 SWALLOWING Always seek medical assistance if the product is swallowed.
- 4.4 INHALATION Always seek medical assistance if the product is inhaled.

## 5 FIRE FIGHTING MEASURES

- 5.1 RECOMMENDED EXTINGUISHERS All
- 5.2 EXTINGUISHERS NOT TO BE USED None in particular
- 5.3 RISKS ARISING FROM COMBUSTION Avoid inhaling the fumes
- 5.4 PROTECTIVE EQUIPMENT Use protection for the respiratory tract



C. & L.E. ATTENBOROUGH LTD  
Dentalcare Group

• ATTENBOROUGH DENTAL LABORATORIES LTD  
• ATTENBOROUGH BRUSH LTD  
• ATTENBOROUGH DIRECT LTD

Dental Laboratory Services  
Dental Product Manufacturers  
Dental Equipment and Supplies

VISCOSA HOUSE • GEORGE STREET • NOTTINGHAM • NG1 3BN • UK  
TEL: + 44 - 115 - 947 3562 • FAX: + 44 - 115 - 950 9086 • E-MAIL info@attenborough.com

SD14 VERSION 1 22/07/2005



## 6 ACCIDENTAL RELEASE MEASURES

- 6.1 MEASURES FOR PERSONAL SAFETY None in particular
- 6.2 ENVIRONMENTAL MEASURES None in particular
- 6.3 CLEANING METHODS None in particular

## 7 HANDLING AND STORAGE

- 7.1 HANDLING PRECAUTIONS None in particular
- 7.2 INCOMPATIBLE MATERIALS None in particular
- 7.3 STORAGE CONDITIONS Keep in a closed container between 0°C and 50°C

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.1 PRECAUTIONARY MEASURES Not needed for normal use
- 8.2 RESPIRATORY MEASURES Not needed for normal use
- 8.3 PROTECTION FOR THE HANDS Not needed for normal use
- 8.4 EYE PROTECTION Not needed for normal use
- 8.5 PROTECTION FOR THE SKIN Not needed for normal use

## 9 PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 APPEARANCE AND COLOUR Silver metal
- 9.2 ODOUR Odourless

## 10 STABILITY AND REACTIVITY

- 10.1 CONDITIONS TO AVOID Stable under normal conditions
- 10.2 SUBSTANCES TO AVOID None in particular
- 10.3 HAZARDOUS DECOMPOSITION PRODUCTS None

## 11 TOXICOLOGICAL INFORMATION

- 11.1 SWALLOWING May become lodged in the digestive tract and cause irritation.
- 11.2 INHALATION May become lodged in the respiratory tracts and cause irritation.

## 12 ECOLOGICAL INFORMATION

Use according to good working practice

## 13 DISPOSAL CONSIDERATIONS

Comply with the local and national regulations currently in force. Waste not dangerous.

## 14 TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations

## 15 REGULATORY INFORMATION

- The product is manufactured from stainless steel to BS EN ISO 7153-1:2000
- The product should not be considered dangerous according to DIR 88/379/EEC.
- The product is not classified as a Medical Device according to DIR 93/42/EEC.
- The product must be tested and approved under the processes of the individual or organisation if it is used in the manufacture a removable custom made dental device.



Denplan



C&BI Nobel Biocare



NYSUREK



DA



IDA



BDTA



Platinum Standard Approved Laboratory



Investors in People UK



MOD Registration CA 000493



DAMAS



BS EN ISO 9001:2000



BS EN ISO 13485:2003

SD14 VERSION 1 22/07/2005

C. & L.E. ATTENBOROUGH LTD  
Dentalcare Group

- ATTENBOROUGH DENTAL LABORATORIES LTD
- ATTENBOROUGH BRUSH LTD
- ATTENBOROUGH DIRECT LTD

Dental Laboratory Services  
Dental Product Manufacturers  
Dental Equipment and Supplies

VISCOSA HOUSE • GEORGE STREET • NOTTINGHAM • NG1 3BN • UK  
TEL: + 44 - 115 - 947 3562 • FAX: + 44 - 115 - 950 9086 • E-MAIL: info@attenborough.com



## 16 OTHER INFORMATION

Every effort has been made to ensure that the information is correct and gives adequate safety within current knowledge. Whilst responsibility for errors and omissions are not accepted, the Company will endeavour to supply information of any of its products on request.



Denplan



SD14 VERSION 1 22/07/2005

**C. & L.E. ATTENBOROUGH LTD**  
Dentalcare Group

- **ATTENBOROUGH DENTAL LABORATORIES LTD**
- **ATTENBOROUGH BRUSH LTD**
- **ATTENBOROUGH DIRECT LTD**

Dental Laboratory Services  
Dental Product Manufacturers  
Dental Equipment and Supplies

VISCOSA HOUSE • GEORGE STREET • NOTTINGHAM • NG1 3BN • UK  
TEL: + 44 - 115 - 947 3562 • FAX: + 44 - 115 - 950 9086 • E-MAIL info@attenborough.com

# Attenborough

www.attenborough.com

Since 1913

